=> IFW: Scan as Doc Code: SRNT <= Doc Date:

## **TC 3700 Inventor Search Program**

See attached inventor searches for applications and/or patents to help resolve questions of overlapping subject matter. These searches are provided as an initial examination aid: examiners should perform updated or expanded PALM or EAST inventors searches as appropriate.

Serial Number: 10812627

1.) See <u>attached</u> printout of inventors listed in PALM

2.) See <u>attached</u> EAST Inventor Search Printout shows Inventor search terms

Day: Thursday Date: 2/16/2006

Time: 10:44:49

## • \* PALM INTRANET

## **Inventor Information for 10/812627**

| Inventor Name               | City                     | State/Cour      | State/Country             |  |
|-----------------------------|--------------------------|-----------------|---------------------------|--|
|                             | TAICHUNG CITY            | TAIWAN          |                           |  |
| Appln Info Contents Peti    | ition_InfoAtty/Agent_Inf | Continuity Data | Foreign <sub>s</sub> Data |  |
| Search Another: Application | n# Search                | or Patent#      | Search                    |  |
| PCT /                       | / Search 01              | or PG PUBS#     | Search                    |  |
| Attorney Doc                | cket #                   | Search          |                           |  |
| Bar Code #                  | Search                   |                 |                           |  |

To go back use Back button on your browser toolbar.

Back to PALM | ASSIGNMENT | OASIS | Home page

| US<br>20060032090<br>A1 | US-<br>PGPUB | 20060216 | 15 | Shoe with adjustable fitting   | 36/58.5 | 36/50.1;<br>36/89            | Chen;<br>Eddie et al.       |
|-------------------------|--------------|----------|----|--|---------|------------------------------|-----------------------------|
| US<br>20050262086<br>A1 | US-<br>PGPUB | 20051124 |    | Systems and methods for integrity certification and verification                           | 707/9   |                              | Ta, Thanh<br>et al.         |
| US<br>20050241179<br>A1 | US-<br>PGPUB | 20051103 |    | Shoe with breathable shell   | 36/3A   | 36/102;<br>36/3R             | Chen,<br>Eddie              |
| US<br>20050210710<br>A1 | US-<br>PGPUB | 20050929 |    | Footwear<br>system having<br>a sole<br>adaptable to<br>different<br>dimensions of<br>shoes | 36/97   | 36/100                       | Chen,<br>Eddie              |
| US<br>20050210708<br>A1 | US-<br>PGPUB | 20050929 |    | Shoe having<br>an upper made<br>of a<br>waterproof<br>breathable<br>laminate               | 36/55   | 36/14                        | Chen,<br>Eddie              |
| US<br>20050160622<br>A1 | US-<br>PGPUB | 20050728 | 19 | Ventilated<br>shoe with<br>protection<br>sheet   | 36/3A   | 36/3R                        | Chen,<br>Eddie              |
| US<br>20050137984<br>A1 | US-<br>PGPUB | 20050623 |    | System and method for rights offering and granting using shared state variables            | 705/51  |                              | Nguyen,<br>Mai et al.       |
| US<br>20050097593<br>A1 | US-<br>PGPUB | 20050505 |    | System, method and device for selected content distribution                                | 725/14  | 725/13;<br>725/42;<br>725/46 | Raley,<br>Michael et<br>al. |
| US<br>20050072025<br>A1 | US-<br>PGPUB | 20050407 |    | Shoe having a reinforcement member for a sole  | 36/19R  |                              | Chen,<br>Eddie et al.       |
| US                      | US-          | 20050407 |    | Shoe having a  | 36/12   |                              | Chen,                       |

. .

.

| 20050072024 | PGPUB |          | three-                 |          |               | Eddie et al.           |
|-------------|-------|----------|------------------------|----------|---------------|------------------------|
| A1          |       |          | dimensional            |          |               |                        |
|             |       |          | insole                 |          |               |                        |
| US          | US-   | 20050317 | System and             | 726/26   |               | Wang, Xin              |
| 20050060571 | PGPUB |          | method for             |          |               | et al.                 |
| A1          |       |          | managing               |          |               |                        |
|             |       |          | transfer of            |          |               |                        |
|             |       |          | rights using           |          |               |                        |
|             |       |          | shared state variables |          |               |                        |
| US          | US-   | 20050217 | Boot with              | 36/117.1 | 36/116        | Chen,                  |
| 20050034333 | PGPUB | 20030217 | adjustable             | 30/117.1 | 30/110        | Eddie et al.           |
| A1          | FOFUB |          | fitting                |          |               | Eddic et al.           |
| US          | US-   | 20050217 | Shoe with              | 36/45    | 36/55; 36/71; | Chen,                  |
| 20050034329 | PGPUB | 20030217 | adjustment             |          | 36/72R;       | Eddie et al.           |
| A1          | 10102 |          | pad unit               |          | 36/96         |                        |
| US          | US-   | 20050217 | Shoe having            | 36/17PW  | 36/12;        | Chen,                  |
| 20050034325 | PGPUB |          | an upper with          |          | 36/17R;       | Eddie et al.           |
| Al          |       |          | a welt-like            |          | 36/19R        |                        |
|             |       |          | fold line              |          |               |                        |
| US          | US-   | 20050217 | Shoe having a          | 36/17PW  | 36/12;        | Chen,                  |
| 20050034324 | PGPUB |          | wrapping               |          | 36/17R;       | Eddie et al.           |
| A1          |       |          | enclosing a            |          | 36/19R        |                        |
|             |       |          | welt strip             | 505/1    | 705/20        | C:11:                  |
| US          | US-   | 20041230 | System and             | 705/1    | 705/30        | Gilliam,<br>Charles P. |
| 20040267552 | PGPUB |          | method for             |          |               | et al.                 |
| A1          |       |          | controlling rights     |          |               | et al.                 |
|             |       |          | expressions            |          |               |                        |
|             |       |          | by                     |          |               |                        |
|             |       |          | stakeholders           |          |               |                        |
|             |       |          | of an item             |          |               |                        |
| US          | US-   | 20041209 | METHOD OF              | 12/142B  | 12/142C       | Chen,                  |
| 20040244128 | PGPUB |          | MAKING A               |          |               | Eddie                  |
| A1          |       |          | SHOE                   |          |               |                        |
| US          | US-   | 20041118 | System and             | 705/51   |               | Tieu,                  |
| 20040230529 | PGPUB |          | method for             |          |               | Vincent H.             |
| A1          |       |          | granting               |          |               | et al.                 |
|             |       |          | access to an           |          |               |                        |
|             |       |          | item or                |          |               |                        |
|             |       |          | permission to          |          |               |                        |
|             |       |          | use an item            |          |               |                        |
|             |       |          | based on configurable  |          |               |                        |
|             |       |          | configurable           |          |               |                        |
| US          | US-   | 20041104 | Networked              | 705/51   | •             | Lao,                   |
| US          | 103-  | 20071107 | Tictworked             | 100101   |               |                        |

| 20040220878<br>A1       | PGPUB        |          | services licensing system and method   |         |                 | Guillermo<br>et al.   |
|-------------------------|--------------|----------|--|---------|-----------------|-----------------------|
| US<br>20040187352<br>A1 | US-<br>PGPUB | 20040930 | Process for making a waterproof shoe   | 36/55   |                 | Chen,<br>Eddie et al. |
| US<br>20040143996<br>A1 | US-<br>PGPUB | 20040729 | Shoe having a cup member connected to the bottom of a waterproof breathable lining | 36/55   |                 | Chen,<br>Eddie et al. |
| US<br>20040111694<br>A1 | US-<br>PGPUB | 20040610 | Method and apparatus for distributing enforceable property rights                  | 717/100 | 717/104         | Wang, Xin et al.      |
| US<br>20040098880<br>A1 | US-<br>PGPUB | 20040527 | Shoe having a hollow insole component  | 36/14   | 36/55           | Chen,<br>Eddie et al. |
| US<br>20040083624<br>A1 | US-<br>PGPUB | 20040506 | Shoe having a waterproof tongue  | 36/55   | 36/54           | Chen,<br>Eddie et al. |
| US<br>20040064972<br>A1 | US-<br>PGPUB | 20040408 | Waterproof<br>shoe having<br>an elastic top<br>open end                            | 36/10   | 36/55           | Chen,<br>Eddie et al. |
| US<br>20040049951<br>A1 | US-<br>PGPUB | 20040318 | Shoe having removable filling material thereinside                                 | 36/93   | 36/71; 36/88    | Chen,<br>Eddie        |
| US<br>20040049942<br>A1 | US-<br>PGPUB | 20040318 | Shoe having waterproof breathable shell  | 36/3A   | 36/55           | Chen,<br>Eddie        |
| US<br>20040006889<br>A1 | US-<br>PGPUB | 20040115 | Shoe having a lid for covering a drain hole  | 36/3R   | 36/3A;<br>36/3B | Chen,<br>Eddie        |
| US<br>20030220880       | US-<br>PGPUB | 20031127 | Networked services   | 705/51  |                 | Lao,<br>Guillermo     |

| A1                      |              |          | licensing<br>system and<br>method   |        |                         | et al.                           |
|-------------------------|--------------|----------|---|--------|-------------------------|----------------------------------|
| US<br>20030208931<br>A1 | US-<br>PGPUB | 20031113 | Shoe with ergonomic foot pad  | 36/92  | 36/30R;<br>36/37; 36/88 | Chen,<br>Eddie                   |
| US<br>20030182822<br>A1 | US-<br>PGPUB | 20031002 | Shoe with ergonomic insole unit   | 36/92  |                         | Chen,<br>Eddie                   |
| US<br>20030182821<br>A1 | US-<br>PGPUB | 20031002 | Shoe with ergonomic insole unit   | 36/92  | 36/37; 36/44            | Chen,<br>Eddie                   |
| US<br>20030182235<br>A1 | US-<br>PGPUB | 20030925 | Method and apparatus for tracking status of resource in a system for managing use of the resources                      | 705/51 |                         | Wang, Xin et al.                 |
| US<br>20030182142<br>A1 | US-<br>PGPUB | 20030925 | Systems and methods for creating, manipulating and processing rights and contract expressions using tokenized templates | 705/1  |                         | Valenzuela,<br>Edgardo et<br>al. |
| US<br>20030145485<br>A1 | US-<br>PGPUB | 20030807 | Shoe with a seam spacer for drainage enhancement  | 36/3A  | 36/45; 36/57            | Chen,<br>Eddie                   |
| US<br>20030145484<br>A1 | US-<br>PGPUB | 20030807 | Breathable rubber boot  | 36/3A  | 36/3R; 36/4             | Chen,<br>Eddie                   |
| US<br>20030140003<br>A1 | US-<br>PGPUB | 20030724 | Method and apparatus managing the transfer of rights  | 705/39 |                         | Wang, Xin et al.                 |
| US<br>20030136023       | US-<br>PGPUB | 20030724 | Shoe with drainable   | 36/3R  | 36/3A;<br>36/3B         | Chen,<br>Eddie                   |

| A1                      |              |          | ports   |        |                                   |                                |
|-------------------------|--------------|----------|---|--------|-----------------------------------|--------------------------------|
| US<br>20030135466<br>A1 | US-<br>PGPUB | 20030717 | Method and apparatus for assigning consequential rights to documents and documents having such rights | 705/51 |                                   | Wang, Xin et al.               |
| US<br>20030121179<br>A1 | US-<br>PGPUB | 20030703 | Vulcanized shoe component with fibrous reinforcement  | 36/30R | 36/32R                            | Chen,<br>Eddie                 |
| US<br>20030097765<br>A1 | US-<br>PGPUB | 20030529 | Shoe with concealed gaiter fasteners  | 36/2R  |                                   | Chen,<br>Eddie                 |
| US<br>20030023564<br>A1 | US-<br>PGPUB | 20030130 | Digital rights management of content when content is a future live event                              | 705/54 |                                   | Padhye,<br>Tushar N.<br>et al. |
| US<br>20020198843<br>A1 | US-<br>PGPUB | 20021226 | Method and apparatus for distributing enforceable property rights                                     | 705/51 |                                   | Wang, Xin et al.               |
| US<br>20020170204<br>A1 | US-<br>PGPUB | 20021121 | Waterproof<br>shoe having<br>stitch seam for<br>drainage (I)  | 36/16  | 36/14;<br>36/17R;<br>36/18; 36/55 | Chen,<br>Eddie                 |
| US<br>20010049889<br>A1 | US-<br>PGPUB | 20011213 | Waterproof shoe having a waterproof but vapor- permeable lining sleeve                                | 36/55  | 36/84                             | Chen,<br>Eddie                 |
| US<br>20010049886<br>A1 | US-<br>PGPUB | 20011213 | Waterproof<br>shoe and<br>process of<br>making the  | 36/12  | 36/19.5;<br>36/55                 | Chen,<br>Eddie                 |

|                  |       |          | como  |         |  |                       |
|------------------|-------|----------|---|---------|--|-----------------------|
| US 6978560<br>B2 | USPAT | 20051227 | Shoe having an upper with a welt-like fold line   | 36/78   | 12/142D;<br>12/146W;<br>12/67K;<br>36/17PW;<br>36/17R;<br>36/21                          | Chen;<br>Eddie et al. |
| US 6963858<br>B2 | USPAT | 20051108 | Method and apparatus for assigning consequential rights to documents and documents having such rights | 705/51  | 707/9  | Wang; Xin et al.      |
| US 6954738<br>B2 | USPAT | 20051011 | Method and apparatus for distributing enforceable property rights                                     | 705/59  | 380/200;<br>380/201;<br>380/202;<br>380/203;<br>380/204;<br>705/1;<br>705/50;<br>705/51; | Wang; Xin et al.      |
| US 6928755<br>B2 | USPAT | 20050816 | Shoe having a three-dimensional insole  | 36/12   | 36/16;<br>36/17R;<br>36/21   | Chen;<br>Eddie et al. |
| US D507096<br>S  | USPAT | 20050712 | Sole  | D2/953  | D2/951;<br>D2/956;<br>D2/957   | Chen;<br>Eddie        |
| US 6851205<br>B2 | USPAT | 20050208 | Shoe having a cup member connected to the bottom of a waterproof breathable lining                    | 36/55   | 36/14  | Chen;<br>Eddie et al. |
| US 6839986<br>B2 | USPAT | 20050111 | Shoe having a waterproof tongue   | 36/54   | 36/51; 36/55   | Chen;<br>Eddie et al. |
| US 6836916<br>B2 | USPAT | 20050104 | Process for making a waterproof   | 12/142A | 12/142T;<br>36/19A;<br>36/55   | Chen;<br>Eddie et al. |

•

|                  |       |          | shoe   |         |  |                       |
|------------------|-------|----------|--|---------|--|-----------------------|
| US 6834408<br>B1 | USPAT | 20041228 | Method of making a shoe                                      | 12/142T | 36/21;<br>36/22R                         | Chen;<br>Eddie        |
| US 6810604<br>B2 | USPAT | 20041102 | Shoe having a hollow insole component                        | 36/14   | 36/16;<br>36/17R;<br>36/18; 36/55        | Chen;<br>Eddie et al. |
| US D494750<br>S  | USPAT | 20040824 | Shoe upper   | D2/969  |  | Chen;<br>Eddie        |
| US D493611<br>S  | USPAT | 20040803 | Shoe upper   | D2/969  |  | Chen;<br>Eddie        |
| US 6760982<br>B2 | USPAT | 20040713 | Waterproof<br>shoe having<br>an elastic top<br>open end      | 36/55   | 36/45; 36/51;<br>36/54                   | Chen;<br>Eddie et al. |
| US 6718657<br>B2 | USPAT | 20040413 | Shoe with ergonomic foot pad                                 | 36/92   | 36/30R;<br>36/37; 36/88                  | Chen;<br>Eddie        |
| US 6711832<br>B2 | USPAT | 20040330 | Shoe having a lid for covering a drain hole                  | 36/3R   | 36/3A;<br>36/3B                          | Chen;<br>Eddie        |
| US 6665954<br>B2 | USPAT | 20031223 | Breathable rubber boot                                       | 36/3R   | 36/3A;<br>36/45; 36/55                   | Chen;<br>Eddie        |
| US 6662473<br>B2 | USPAT | 20031216 | Shoe with ergonomic insole unit                              | 36/44   | 36/16; 36/37;<br>36/68;<br>36/76HH       | Chen;<br>Eddie        |
| US 6637129<br>B2 | USPAT | 20031028 | Shoe with a seam spacer for drainage enhancement             | 36/3A   | 36/3R;<br>36/45; 36/57                   | Chen;<br>Eddie        |
| US D475512<br>S  | USPAT | 20030610 | Shoe sole  | D2/953  | D2/956;<br>D2/960                        | Chen;<br>Eddie        |
| US 6560899<br>B2 | USPAT | 20030513 | Waterproof<br>shoe having<br>stitch seam for<br>drainage (I) | 36/14   | 36/12; 36/16;<br>36/17R;<br>36/18; 36/55 | Chen;<br>Eddie        |
| US D467711<br>S  | USPAT | 20021231 | Shoe sole  | D2/956  | D2/951;<br>D2/953;<br>D2/959;<br>D2/960  | Chen;<br>Eddie        |
| US D467408<br>S  | USPAT | 20021224 | Midsole  | D2/961  |  | Chen;<br>Eddie        |
| US D467065<br>S  | USPAT | 20021217 | Vamp   | D2/974  |  | Chen;<br>Eddie        |
| US D467063<br>S  | USPAT | 20021217 | Vamp   | D2/972  | D2/974                                   | Chen;<br>Eddie        |

| US D466683<br>S  | USPAT | 20021210 | Vamp  | D2/974    | D2/907                                  | Chen;<br>Eddie             |
|------------------|-------|----------|---|-----------|---|----------------------------|
| US 6477788<br>B1 | USPAT | 20021112 | Shoe with concealed gaiter fasteners  | 36/1.5    | 36/2R                                   | Chen;<br>Eddie             |
| US 6474002<br>B2 | USPAT | 20021105 | Waterproof shoe having a waterproof but vapor- permeable lining sleeve                        | 36/55     | 36/14                                   | Chen;<br>Eddie             |
| US 6474001<br>B1 | USPAT | 20021105 | Waterproof<br>shoe having<br>stitch seam for<br>drainage II                                   | 36/55     | 36/14                                   | Chen;<br>Eddie             |
| US 6412193<br>B1 | USPAT | 20020702 | Waterproof<br>shoe having<br>stitch seam for<br>drainage (I)                                  | 36/14     | 36/16;<br>36/17R;<br>36/18; 36/55       | Chen;<br>Eddie             |
| US D457717<br>S  | USPAT | 20020528 | Shoe upper  | D2/969    | D2/902;<br>D2/909;<br>D2/910;<br>D2/970 | Chen;<br>Eddie             |
| US 6153361<br>A  | USPAT | 20001128 | Method of removing photoresist at the edge of wafers  | 430/331   | 216/88;<br>216/92;<br>257/E21.228       | Liu; Ming-<br>Hua et al.   |
| US 6115940<br>A  | USPAT | 20000912 | Shoe having waterproof lining sleeve and water drainer  | 36/4      | 12/142E;<br>36/14; 36/45;<br>36/55      | Chen;<br>Eddie             |
| US 6099902<br>A  | USPAT | 20000808 | Method of determining a time to clean a low pressure chemical vapor deposition (LPCVD) system | 427/248.1 | 427/294                                 | Fam;<br>Jumn-Min<br>et al. |
| US 6065869<br>A  | USPAT | 20000523 | Method of in-<br>line<br>temperature  | 374/183   | 219/390;<br>374/141;<br>392/416;        | Lin; Jen-<br>Tsung et al.  |

|                 |       |          |   | monitoring  |         | 438/18   |                           |
|-----------------|-------|----------|---|---|---------|--|---------------------------|
| US 6065227<br>A | USPAT | 20000523 |   | Waterproof<br>foot covering   | 36/4    | 12/142A;<br>12/142E;<br>36/55                    | Chen;<br>Eddie            |
| US 6046061<br>A | USPAT | 20000404 |   | Method of inspecting wafer water mark   | 438/16  | 257/E21.525;<br>257/E21.53;<br>438/14;<br>438/15 | Tsao; Li-<br>Wu et al.    |
| US 6014223<br>A | USPAT | 20000111 |   | Method of determining the impurity concentration of impurity- doped polysilicon in semiconductor wafers | 356/448 | 356/445;<br>356/446                              | Lin; Jen-<br>Tsung et al. |
| US 5882947<br>A | USPAT | 19990316 |   | Method for probing the error of energy and dosage in the high-energy ion implantation                   | 438/14  | 324/765  | Lin; Jen-<br>Tsung et al. |
| US D401397<br>S | USPAT | 19981124 |   | Shoe sole   | D2/957  | D2/954   | Chen;<br>Eddie            |
| US 5778473<br>A | USPAT | 19980714 |   | Method of forming a boot  | 12/142T | 12/142E;<br>36/4                                 | Chen;<br>Eddie            |
| US 5745440<br>A | USPAT | 19980428 |   | Time equipment with time zone mechanism   | 368/27  | 368/21   | Chen;<br>Eddie Zon<br>Tsu |
| US 5708628<br>A | USPAT | 19980113 |   | Universal time equipment  | 368/21  |  | Chen;<br>Eddie Zon<br>Tsu |
| US 5631878<br>A | USPAT | 19970520 |   | Time equipment  | 368/21  | 368/27   | Chen;<br>Eddie Z.         |
| US D362644<br>S | USPAT | 19950926 | 6 | Clock face  | D10/126 |  | Chen;<br>Eddie Z.         |

.